

Baseboard Wetroom Trays

The System

The flawless foundation for modern, level-access showers. Engineered for architects and discerning clients, these rigid, ready-to-tile bases deliver a seamless, flush-floor transition. Finished with a fibreglass-reinforced cement coating, ready for natural stone, porcelain, SPC, or micro-cement.



SQUARE DRAIN



LINEAR DRAIN

01

Architectural Freedom

Creates a continuous, barrier-free floor aesthetic that visually expands the space, with a choice of linear or square drain.

02

Ready for Luxury

Fully compatible with electric underfloor heating, delivering a true spa experience without compromising performance.

03

Engineered Precision

Built-in pre-formed gradients channel water directly to the drain, preventing pooling on the tray surface.

04

Absolute Reliability

A 100% waterproof rigid core provides a robust bond for tile adhesives, guaranteeing long-lasting structural integrity.

FINISH

Cement-coated, fibreglass-reinforced surface, ready for adhesive directly on top.

WASTE OPTIONS

Centred 148×148 mm square waste (Ø90 mm outlet), or an offset 600×60 mm linear channel.

IDEAL APPLICATIONS

An ideal solution for contemporary renovations and new builds, from homes to hospitality environments. Perfect for creating elegant walk-in showers and luxury wetrooms over timber floors, with minimal structural modification.

info@frameless.ie · +353 21 436 4383

Technical Specification

Plan view, overall dimensions in millimetres, drawn from manufacturing CAD data. Square waste position is centred across the 900 mm depth, and fixed 376 mm from one edge, applicable to each size. Only the tray extends further as length increases.



DRAINAGE OPTIONS

- Linear drain, offset position, 600×60 mm channel
- Square drain, centred position, 148×148 mm, Ø90 mm outlet
- Pre-formed slope directs water to the waste on both styles
- Waste style confirmed at time of order

MATERIAL & INSTALLATION

- Fibreglass mesh reinforced, cement-coated surface
- Compatible with electric underfloor heating
- Overall thickness: 20 mm (square drain) or 30 mm (linear drain)
- Complete installation kit included

info@frameless.ie · +353 21 436 4383

Model Range

CODE	OVERALL W	DEPTH	THICKNESS	WASTE OPTION
BB2125	1200 mm	900 mm	20 mm	Square
BB2410	1200 mm	900 mm	30 mm	Linear
BB2130	1500 mm	900 mm	20 mm	Square
BB2415	1500 mm	900 mm	30 mm	Linear

Drain profile, common to every size and both waste styles. Overall installation height 117 mm, DN50 outlet. Supplied as a complete kit: tray, waste fitting, sealing collar.