

Wetroom Hand Basin

The System

Floating architecture and bespoke precision for high-end spaces. The Continuum Handbasins redefine interior architecture with a preformed, reinforced XPS base finished in a water-resistant resin coating, designed for cladding in SPC, tiles, stone, or micro-cement, with floor-free mounting for a stunning floating effect.



CONTINUUM HANDBASINS

01

Suspended Design

Wall-hung on a concealed cantilever bracket, keeping the floor beneath completely clear for a minimalist look.

02

Bespoke Adaptation

The sink module stays standardised while overall width can be cut to measure on site for a customised design.

03

Standardised Module

A common 545 mm sink dimension across every size keeps cladding and specification consistent across multiple locations.

04

Uncompromising Strength

Supported by durable, adjustable Niczuk wall-mounted brackets.

FINISH

Designed to be clad with SPC, Tiles, Stone, or Micro-cement.

COMPATIBLE WITH IRISH SYSTEMS

Linear waste is designed for use with Irish 32 mm (1¼″) systems.


IDEAL APPLICATIONS

Ideal for creating contemporary wash areas in homes, hospitality suites and corporate spaces, where modern design meets practical function and seamlessly concealed utilities.


info@frameless.ie · +353 21 436 4383

Technical Specification


Plan view, overall dimensions in millimetres, drawn from manufacturing CAD data. All three models share a common 545 mm sink module, inset 12.5 mm to a 520 mm basin, positioned 255 mm from the front edge. Only the counter length changes.



Model 01 · 805 × 455 mm



Model 02 · 1005 × 455 mm



Model 03 · 1205 × 455 mm

MOUNTING

- Wall-hung, concealed cantilever arm bracket
- Hardware: Niczuk A2 30×30 cantilever arm
- Wall reinforcement recommended. Bracket load rating: 0.8 kN (approx. 81 kg)
- No floor fixing required



NICZUK A2 30×30 CANTILEVER ARM


SINK & DRAINAGE

- Preformed, reinforced XPS polystyrene, finished in a water-resistant resin coating
- Centred waste outlet, Ø32 mm
- Preformed slope, draining from the face towards the rear drain
- Sink dimensions of 545 mm are common to all sizes

info@frameless.ie · +353 21 436 4383

Model Range

MODEL	OVERALL W	DEPTH	SINK	SIDE COUNTER (L/R)
01	805 mm	455 mm	545 mm	130 / 130 mm
02	1005 mm	455 mm	545 mm	230 / 230 mm
03	1205 mm	455 mm	545 mm	330 / 330 mm



255 · 80 · 120 mm

Section profile, common to all three models. Front drainer face 255 mm, stepped sink wall 80 mm, rear upstand 120 mm. Sink depth 50 mm · waste outlet Ø32 mm.

frameless

Ready to specify Continuum for your next project? Download CAD files and request a bespoke quote.

Unit 10 Tramore Commercial Park
Tramore Road, Cork, Ireland
T12 Y8DW

info@frameless.ie
+353 21 436 4383

This document is for specification purposes only. Dimensions are nominal and subject to manufacturing tolerance. © Frameless Company.